

SINCE:

1991



AYANT UDYOG KENDRA

MANUFACTURER & EXPORTER
OF CONDUIT PIPE FITTING

10/19 PETCH GOPAL RAI GOVIND RAM, GOOLAR ROAD,
ALIGARH-202001UTTAR PRADESH, INDIA



8447452512



AYANTUDYOGKENDRA@GMAIL.COM



WWW.AYANTUDYOGKENDRA.COM

ABOUT US

Welcome to AYANT UDYOG KENDRA, your trusted source for top-quality electrical fittings, hardware, locks, and door fittings. With over three decades of experience, we have been a cornerstone in the industry since our establishment in 1991 by Mr. Akhil Kumar Manglik and Mrs. Babita Manglik. Today, the legacy continues under the ownership of Mr. Anik Manglik.

Our Mission and Values

At AYANT UDYOG KENDRA, our mission is to provide affordable electrical fitting solutions without compromising on quality while prioritizing safety above all else. We are committed to offering a wide range of locks and hardware accessories that enhance the aesthetics and beauty of your home or workplace.

Unique Selling Points

What sets us apart is our extensive selection of hardware and lock fittings, available in brass, iron, and steel, all at competitive and affordable rates. Our dedication to quality, affordability, and variety makes us your go-to destination for all your electrical and hardware needs.

Target Audience

Our products cater to a diverse customer base, including homeowners, contractors, builders, and businesses seeking reliable and aesthetically pleasing solutions for their electrical, hardware, lock, and door fitting requirements.

Notable Achievements

We take pride in our ISO 9001:2014 certification, which reflects our commitment to maintaining the highest standards of quality and service. This achievement underscores our dedication to excellence in all that we do.

Future Goals

Looking ahead, our aspirations involve expanding our product range, innovating in line with industry trends, and continuing to provide unmatched customer satisfaction. We aim to remain at the forefront of the electrical and hardware industry, offering cutting-edge solutions while maintaining affordability and quality. Thank you for considering AYANT UDYOG KENDRA as your trusted partner for all your electrical and hardware needs. We look forward to serving you with excellence, integrity, and a commitment to safety and quality.

G.I. CONDUIT FITTINGS

SPACE BAR SADDLE

MATERIAL: MILD STEEL
FINISH: ELECTRO-GALVANISED, HOTDIP GALV., BLACK
THICKNESS: 0.6MM TO 1.6MM

SIZE:	6MM	8MM	10MM	12MM	14MM	16MM	20MM	25MM
	32MM	38MM	40MM	50MM	63MM	75MM	90MM	100MM



PLAIN SADDLE CLAMP

MATERIAL: MILD STEEL
FINISH: ELECTRO-GALVANISED, HOTDIP GALV., BLACK
THICKNESS: 0.5MM TO 2MM

SIZE:	6MM	8MM	10MM	12MM	14MM	16MM	20MM	25MM
	32MM	38MM	40MM	50MM	63MM	75MM	90MM	100MM



HALF SADDLE CLAMP

MATERIAL: MILD STEEL
FINISH: ELECTRO-GALVANISED, HOTDIP GALV., BLACK
THICKNESS: 0.5MM TO 2MM

SIZE:	6MM	8MM	10MM	12MM	14MM	16MM	20MM	25MM
	32MM	38MM	40MM	50MM	63MM	75MM	90MM	100MM



HOSPITAL SADDLE (DISTANCE SADDLE)

MATERIAL: CAST IRON
FINISH: ELECTRO-GALVANISED, HOTDIP GALV., BLACK

SIZE:	20MM	25MM	32MM
-------	------	------	------



EXTENSION RINGS

MATERIAL: MILD STEEL
FINISH: ELECTRO-GALVANISED, HOTDIP GALV., BLACK
THICKNESS: 1 MM TO 6MM

SIZE:	20MM	25MM	32MM	40MM	50MM
-------	------	------	------	------	------



COUPLING (SOCKET)

MATERIAL: MILD STEEL
FINISH: ELECTRO-GALVANISED, HOTDIP GALV., BLACK



SIZE:	12MM	16MM	20MM	25MM	32MM	40MM	50MM
--------------	------	------	------	------	------	------	------

NIPPLES (OUTER THREADS)

MATERIAL: MILD STEEL
FINISH: ELECTRO-GALVANISED, HOTDIP GALV., BLACK



SIZE:	12MM	16MM	20MM	25MM	32MM	40MM	50MM
--------------	------	------	------	------	------	------	------

LOCKNUT HEXAGONAL (CHUCKNUT)

MATERIAL: MILD STEEL
FINISH: ELECTRO-GALVANISED, HOTDIP GALV., BLACK
THICKNESS: 2.5MM TO 6MM



SIZE:	12MM	16MM	20MM	25MM	32MM	40MM	50MM
--------------	------	------	------	------	------	------	------

LOCKNUT ROUND (CHUCKNUT)

MATERIAL: MILD STEEL
FINISH: ELECTRO-GALVANISED, HOTDIP GALV., BLACK
THICKNESS: 2.5MM TO 6MM



SIZE:	12MM	16MM	20MM	25MM	32MM	40MM	50MM
--------------	------	------	------	------	------	------	------

INSERT CLIP

MATERIAL: MILD STEEL
FINISH: ELECTRO-GALVANISED, HOTDIP GALV., BLACK
THICKNESS: 1MM TO 2MM



SIZE:	12MM	16MM	20MM	25MM	32MM	40MM	50MM
--------------	------	------	------	------	------	------	------

FEMALE DOME COVER

MATERIAL: MILD STEEL
FINISH: ELECTRO-GALVANISED, HOTDIP GALV., BLACK
THICKNESS: 1.5MM



SIZE:	12MM	16MM	20MM	25MM	32MM
--------------	------	------	------	------	------

HOOK DOME COVER

MATERIAL: MILD STEEL
FINISH: ELECTRO-GALVANISED, HOTDIP GALV., BLACK
THICKNESS: 1.5MM



SIZE:	12MM	16MM	20MM	25MM	32MM
--------------	------	------	------	------	------

NORMAL BEND

MATERIAL: MILD STEEL
FINISH: ELECTRO-GALVANISED, HOTDIP GALV., BLACK
THICKNESS: 1.2MM TO 1.6MM



SIZE:	12MM	16MM	20MM	25MM	32MM	40MM	50MM
--------------	------	------	------	------	------	------	------

SPRINKLER CLAMP

MATERIAL: MILD STEEL WITH BOLT & NUT
FINISH: ELECTRO-GALVANISED, HOTDIP GALV., BLACK
THICKNESS: 1MM TO 2MM



SIZE:	12MM	16MM	20MM	25MM	32MM	40MM	50MM
	63MM	75MM	100MM	125MM	150MM	175MM	200MM

SWITCH & SOCKET BOXES

MATERIAL: PRE GALVANISED SHEETS

THICKNESS	0.8MM TO 1.6MM	
COATING	80 GSM TO 275 GSM	
SIZE:	72*72*35	72*72*47
	132*72*35	132*72*47



ROUND JUNCTION BOX

MATERIAL: CAST IRON
FINISH: ELECTRO-GALVANISED, HOTDIP GALV., BLACK

AVAILABLE:	1WAY	2WAY	3WAY	4WAY	5WAY	6WAY	ANGULAR
SIZE:	12MM	16MM	20MM	25MM	32MM	40MM	50MM



LOOPING BOX

MATERIAL: CAST IRON
FINISH: ELECTRO-GALVANISED, HOTDIP GALV., BLACK

AVAILABLE:	BACK OUTLET	ONE HOLE	TWO HOLE
	THREE HOLE	FOUR HOLE	
SIZE:	20MM	25MM	32MM



INSPECTION ACCESSORIES

MATERIAL: CAST IRON
FINISH: ELECTRO-GALVANISED, HOTDIP GALV., BLACK

AVAILABLE:	ELBOW	TEE	BEND
-------------------	-------	-----	------

SIZE:	12MM	16MM	20MM	25MM	32MM	40MM	50MM
--------------	------	------	------	------	------	------	------



ROUND LID COVER



MATERIAL: MILD STEEL		
SIZE:	60MM	65MM
THICKNESS: 0.9 TO 2MM		
FINISH	GALVANISED	
	BLACK	

COUPLING KIT WITH FITTING



MATERIAL: MILD STEEL		
THICKNESS: 2MM		
FINISH	GALVANISED	
	BLACK	

CRAMPETS (J HOOK)



MATERIAL: MILD STEEL		
SIZE:	20MM	25MM
FINISH	GALVANISED	
	BLACK	

U BOLT



MATERIAL: MILD STEEL		
SIZE:	1/4"	3/4"
	1"	1 1/4"
	1 1/2"	2"
	2 1/2"	1 1/4"
	FINISH	

SQUARE COVER



MATERIAL: MILD STEEL		
SIZE:	72*72	132*72
THICKNESS: 0.9 TO 2MM		
FINISH	GALVANISED	
	BLACK	

U CLAMP



MATERIAL: MILD STEEL		
SIZE:	3" * 5" * 4"	
	4" * 6" * 4"	
	6" * 8" * 6"	
	8" * 10" * 8"	
FINISH	GALVANISED	

ADOPTER WITH NUTS



MATERIAL: ALUMINIUM		
SIZE:	12MM	16MM
	20MM	25MM
	32MM	38MM
	50MM	75MM
	FINISH	ANODIZE

THREADED RODS



MATERIAL: STEEL		
SIZE:	1/4"	3/16"
1 MTR	3/8"	1/2"
2 MTR	1/4"	5/16"
3 MTR	3/8"	1/2"
FINISH	HOT DIP, ELEC. GALV	

EMT FITTINGS

TWO HOLE STRAP

MATERIAL: MILD STEEL
FINISH: ELECTRO-GALVANISED, HOTDIP GALV., BLACK
THICKNESS: 0.8MM TO 2MM

SIZE:	6MM	8MM	10MM	12MM	14MM	16MM	20MM	25MM
	32MM	38MM	40MM	50MM	63MM	75MM	90MM	100MM



ONE HOLE STRAP

MATERIAL: MILD STEEL
FINISH: ELECTRO-GALVANISED, HOTDIP GALV., BLACK
THICKNESS: 0.8MM TO 2MM

SIZE:	6MM	8MM	10MM	12MM	14MM	16MM	20MM	25MM
	32MM	38MM	40MM	50MM	63MM	75MM	90MM	100MM



EARTHING STRIP SADDLE CLAMP

MATERIAL: MILD STEEL, SS, BRASS & COPPER
FINISH: ELECTRO-GALVANISED, HOTDIP GALV., BLACK
THICKNESS: 0.8MM TO 2MM

SIZE:	LENGTH	20MM	25MM	32MM	38MM	50MM	63MM	75MM
	DEPTH	3MM	6MM	10MM	12MM			



BEAM CLAMP

MATERIAL: MALLEABLE CAST IRON
FINISH: ELECTRO-GALVANISED, HOTDIP GALV., BLACK

SIZE:	6MM	8MM	10MM	12MM	
-------	-----	-----	------	------	--



CHANNEL CLAMP

MATERIAL: MILD STEEL WITH NUT & BOLT
FINISH: ELECTRO-GALVANISED, HOTDIP GALV., BLACK
THICKNESS: 0.9MM TO 2MM

SIZE:	12MM	19MM	25MM	32MM	38MM
	50MM	63MM	75MM	100MM	150MM



LONG SPRING NUT

MATERIAL: STEEL & STAINLESS STEEL
FINISH: ELECTRO-GALVANIZED, SS
THICKNESS: 4MM, 6MM, 8MM

SIZE:	M06	M08	M10	M12
-------	-----	-----	-----	-----



SHORT SPRING NUT

MATERIAL: STEEL & STAINLESS STEEL
FINISH: ELECTRO-GALVANIZED, SS
THICKNESS: 4MM, 6MM, 8MM

SIZE:	M06	M08	M10	M12
-------	-----	-----	-----	-----



PVC END CAP

MATERIAL: PVC
FINISH: GLOSSY, MET
COLOR: RED, BLACK, IVORY



SIZE:	41*41	41*21
--------------	-------	-------

COPPER AND BRASS FITTINGS

FLEXIBLE COPPER BRAIDE

MATERIAL: COPPER
FINISH: COPPER AND TIN COATED

SIZE:	4sq MM to 50sq MM
--------------	-------------------

LENGTH:	100MM to 2000MM
----------------	-----------------



TAPE CLIP

MATERIAL: BRASS & COPPER
FINISH: COPPER AND TIN COATED

SIZE:	20*3	25*3	25*6	50*3	50*6
--------------	------	------	------	------	------



ONE HOLE CABLE CLIP

MATERIAL: BRASS & COPPER
FINISH: COPPER AND TIN COATED

SIZE:	10MM	12MM	16MM	20MM	25MM
--------------	------	------	------	------	------



LINE CONNECTORS (SHORT AND LONG BARREL)

MATERIAL: BRASS & COPPER
FINISH: COPPER AND TIN COATED

CABLE DIA:	1.5 SQ MM TO 100 SQMM
-------------------	-----------------------



CABLE TERMINALS ENDS

MATERIAL: BRASS & COPPER
FINISH: COPPER AND TIN COATED

CABLE DIA:	1.5 SQ MM TO 95 SQMM
-------------------	----------------------

